

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An electronic device including an electronic display comprising a screen and circuitry for providing display data to the screen, wherein the circuitry is operable in at least two modes, a first mode in which display data is provided to the screen for viewing in a first orientation and a second mode in which display data is provided to the screen for viewing in a second, orthogonal, orientation, and wherein in the first mode the display data comprises a first image, and in the second mode the screen is split into a first part and a second part, and the display data comprises a second image for display in the first part and a third image for occupying different areas of the screen image for display in the second part, wherein at least one of the second and third images has a different size than the first image

~~and a same aspect ratio as the first image, the second image and the third image substantially filling the screen.~~

2. (Previously Presented) The device as claimed in claim 1, wherein the screen has an aspect ratio of approximately 16:9.

3. (Previously Presented) The device as claimed in claim 1, wherein the screen has an aspect ratio of approximately 1.4:1.

4. (Currently Amended) The device as claimed in ~~any preceding claim 1~~, wherein the second and third images are provided one above the other ~~and occupy substantially the full width of the screen in the second orientation.~~

5. (Previously Presented) The device as claimed in claim 1, wherein the display screen is rotatable with respect to the device between the first and second orientations.

6. (Currently Amended) A method of displaying data on a screen comprising acts of:

determining whether to display according to a first or second mode of operation;

when displaying in the first mode of operation, providing display data comprising a first image in a first orientation; and

when displaying in the second mode of operation, splitting the screen is into a first part and a second part and providing display data comprising a second image for display in the first part and a third images for occupying different areas of the screen image for display in the second part in a second, orthogonal, orientation, wherein at least one of the second and third images has a different size than the first image ~~and a same aspect ratio as the first image,~~ the second image and the third image substantially filling the screen.

7. (Currently Amended) The method as claimed in claim 6, wherein the second and third images are provided one above the other ~~and occupy substantially the full width of the screen in the second orientation.~~

8. (Previously Presented) The method as claimed in claim 6 or

7, wherein the act of determining whether to display according to a first or second mode of operation is carried out automatically in dependence on the display data.

9. (Previously Presented) The method as claimed in claim 6 or 7, wherein the act of determining whether to display according to a first or second mode of operation comprises receiving an instruction from a user of the device.

10. (Previously Presented) The device of claim 1, wherein at least one of the second and third images is reduced to substantially fill a width of the screen.

11. (Previously Presented) The device of claim 1, wherein the second and third images have identical aspect ratios.

12. (Previously Presented) The device of claim 1, wherein the second and third images are reduced to fill a width of the screen and have identical aspect ratios.

13. (Previously Presented) The device of claim 1, wherein at least one of the second and third images has a same aspect ratio as the screen.

14. (Previously Presented) The device of claim 1, wherein the first image substantially fills the screen.

Claim 15 (Canceled)

16. (Previously Presented) The method of claim 6, wherein the first image substantially fills the screen.